

SLICK-STIK

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

#### **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: SLICK-STIK

CAT NO: CE-3HG
CONTAINER/SIZE: STICK 1

CONTAINER/SIZE: STICK 16 oz TUBE
CAS NUMBER Mixture
U.N. NUMBER: None

U.N. DANGEROUS GOODS CLASS:
SUPPLIER/MANUFACTURER'S NAME:
Non-Regulated Material
Hougen Australia PTY LTD

ADDRESS: Hougen Australia PTY LTD

2/9 Shepherd Court, North Geelong, VIC 3215

EMERGENCY PHONE: 03 5277 2611 (After Hours Poison Hotline: 131 126)

BUSINESS PHONE: 03 5277 2611 (Product Information)

FAX NUMBER: 03 5277 0768
WEB SITE: www.hougen.com
E-MAIL: info@hougen.com
DATE OF PREPARATION: October 1, 2022

DATE OF LAST REVISION:

#### **SECTION 2 - HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW:**

**Product Description:** This product is a green wax solid with a petroleum odor.

Health Hazards: Contact may cause irritation to eyes. Prolonged exposure to skin may cause irritation. Harmful if swallowed.

Flammability Hazards: This product is Non-Flammable with a flash point of greater than 193°C (COC)

Reactivity Hazards: Not reactive

Environmental Hazards: The environmental effects of this product have not been investigated; however it is not expected to cause any significant

adverse effects.

**Emergency Considerations:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

US DOT SYMBOLS

CANADA (WHMIS) SYMBOLS

Non-Regulated Not Controlled

EUROPEAN and (GHS) Hazard Symbols



Signal Word: Warning!

# **EU LABELING AND CLASSIFICATION:**

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1

EC# 265-155-0 Annex I Index# 649-465-00-7 See Note Below

EC# 265-154-5 This substance is not classified in the Annex I of Directive 67/548/EEC

EC# 265-144-0 This substance is not classified in the Annex I of Directive 67/548/EEC

EC# 263-099-1 This substance is not classified in the Annex I of Directive 67/548/EEC EC# 232-399-4 This substance is not classified in the Annex I of Directive 67/548/EEC

NOTE: EC# 265-155-0 is Severely Hydrotreated Distillate with less than 3 % DMSO extract as measured by IP 346 and as result is not considered a carcinogen.

#### **Hazard Determining Components:**

Mineral Oil Severely Hydrotreated, Paraffin, Microcrystalline Wax, Tallow, Carnauba Wax

## GHS Hazard Classification(s):

Acute Oral Toxicity Category 4 Eye Irritation Category 2B Skin Irritation Category 3

#### **Hazard Statement(s):**

H302: Harmful if swallowed H320: Causes eye irritation H316: Causes mild skin irritation

#### Precautionary Statement(s):

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product P281: Use personal protective equipment as required

# **EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:**

October 2022 Page 1 of 6



**SLICK-STIK** 

[Xn] Harmful, [Xi] Irritant

Risk Phrases:

R22: Harmful if swallowed R36/38: Irritating to eyes, and skin

#### Safety Phrases:

S39: Wear suitable eye/face protection

S45: In case of accident or if you feel unwell seek medical advice.

#### **HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

**ACUTE:** Exposure to this product may cause irritation of the eyes, and skin. Ingestion may cause gastrointestinal irritation including pain, vomiting or diarrhea. Aspiration hazard – if allowed to enter airway.

CHRONIC: Prolonged and repeated skin contact may cause dermatitis.

TARGET ORGANS: ACUTE: Eyes, Respiratory System, Skin CHRONIC: Skin

#### **SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS:	CAS#	EINECS#	ICSC#	WT %	HAZARD CLASSIFICATION; RISK PHRASES	
Mineral Oil Severely Hydrotreated	64742-52-5	265-155-0	Not Listed	15 - 40%	HAZARD CLASSIFICATION: [Xn] Harmful, [Xi] Irritant RISK PHRASES: R22, R36/38	
Paraffin	64742-51-4	265-154-5	Not Listed	15 – 40%	HAZARD CLASSIFICATION: [Xn] Harmful, [Xi] Irritant RISK PHRASES: R22, R36/38	
Microcrystalline Wax	64742-42-3	265-144-0	Not Listed	10 – 30%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38	
Tallow	61789-97-7	263-099-1	Not Listed	5 - 10%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38	
Carnauba Wax	8015-86-9	232-399-4	Not Listed	1 - 5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38	
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).						

NOTE: ALL WHM

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250*: 2000.

### **SECTION 4 - FIRST-AID MEASURES**

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation or blurred vision occurs.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin or eye problems may be aggravated by prolonged contact.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and reduce over-exposure.

#### **SECTION 5 - FIRE-FIGHTING MEASURES**

FLASH POINT:
AUTOIGNITION TEMPERATURE:
FLAMMABLE LIMITS (in air by volume, %):
FIRE EXTINGUISHING MATERIALS:
UNUSUAL FIRE AND EXPLOSION HAZARDS:

193°C (379.4°F) COC Not Established

<u>Lower (LEL)</u>: Not Established <u>Upper (UEL)</u>: Not Established As appropriate for surrounding fire. Carbon dioxide, foam, dry chemical, halon, water spray. Do not store or mix with strong oxidizers. Empty containers retain residue. Do not cut, drill, grind, or weld as they may explode.

October 2022 Page 2 of 6




SLICK-STIK

Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: Not Sensitive. Not Sensitive

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### NFPA RATING SYSTEM



### **HMIS RATING SYSTEM**

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM								
HEALTI	HEALTH HAZARD (BLUE)							
FLAMM	FLAMMABILITY HAZARD (RED)							
PHYSIC	PHYSICAL HAZARD (YELLOW)							
	PROTECTIVE EQUIPMENT							
EYES								
9	See Sect 8		See Sect 8					
For Routin	For Routine Industrial Use and Handling Applications							

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

#### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**SPILL AND LEAK RESPONSE**: Personnel should be trained for spill response operations.

<u>SPILLS</u>: Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Scrape up or pickup with an absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

## **SECTION 7 - HANDLING and STORAGE**

WORK PRACTICES AND HYGIENE PRACTICES: Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Use in a well-ventilated location.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use. Do not store at temperatures above 120°F (49°C) Store away from strong oxidizers.

# **SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION**

#### **EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	WEEL
Oil Mists	All Ingredients	5 mg/m³	5 mg/m³	5 mg/m³

Currently, International exposure limits are not established for all the components of this product. Please check with competent authority in each country for the most recent limits in place.

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne dust.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.



# SLICK-STIK

**RESPIRATORY PROTECTION:** Not normally required when using this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

**SKIN PROTECTION:** Chemical resistant gloves to prevent skin contact when using this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

#### **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

PHYSICAL STATE:

APPEARANCE & ODOR: Green wax solid wi

ODOR THRESHOLD (PPM):

VAPOR PRESSURE (mmHg):

**VAPOR DENSITY:** 

**EVAPORATION RATE (nBuAc = 1):** 

BOILING POINT (C°): FREEZING POINT (C°):

pH: SPECIFIC GRAVITY 20°C: (WATER =1)

**SOLUBILITY IN WATER (%)** 

Solid

Green wax solid with a petroleum odor.

Mild

Not Available Heavier than air

Slower than Butyl Acetate

Not Available Not Available Not Applicable

0.75

Non-soluble

#### **SECTION 10 - STABILITY and REACTIVITY**

STABILITY: Product is stable

**DECOMPOSITION PRODUCTS:** When heated to decomposition this product produces carbon oxides and oxides of nitrogen

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Oxidizing materials, acids and amines.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Incompatible materials

#### **SECTION 11 - TOXICOLOGICAL INFORMATION**

**TOXICITY DATA:** Toxicity data is not available for this product:

CAS# 64742-52-5 No LD50 Data Available CAS# 64742-51-4 Acute Oral LD50

5,000 mg/kg Rat

CAS# 64742-42-3 No LD50 Data Available CAS# 8015-86-9 No LD50 Data Available

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

The European Commission does consider CAS# 64742-52-5 a carcinogen, however this product contains severely hydrotreated distillate with less than 3 % DMSO extract as measured by IP 346 and is therefore not considered a carcinogen.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin and eyes.

**SENSITIZATION OF PRODUCT:** This product is not considered a sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No information concerning the effects of this product and its components on the human reproductive system.

# **SECTION 12 - ECOLOGICAL INFORMATION**

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ENVIRONMENTAL STABILITY:** No specific data is available for this product.

October 2022 Page 4 of 6



SLICK-STIK

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No evidence is currently available on this product's effects on aquatic life.

#### **SECTION 13 - DISPOSAL CONSIDERATIONS**

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

RCRA WASTE CODE: None listed EU WASTE CODE: Not Listed

#### **SECTION 14 - TRANSPORTATION INFORMATION**

#### US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material HAZARD CLASS NUMBER and DESCRIPTION: None

**UN IDENTIFICATION NUMBER: None** 

PACKING GROUP: None DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: This products ingredients that are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101,

Appendix B)

# TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

# INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

# INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

# EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

Harmonized Tariff Code Not Listed

### **SECTION 15 - REGULATORY INFORMATION**

# **UNITED STATES REGULATIONS**

SARA REPORTING REQUIREMENTS: This product is ingredients are subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

#### SARA 311/312:

Acute Health: Yes Chronic Health: No Fire: No Reactivity: No

<u>U.S. SARA THRESHOLD PLANNING QUANTITY:</u> There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

#### U.S. CERCLA REPORTABLE QUANTITY (RQ): None

<u>CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)</u>: None of the ingredients are on the California Proposition 65 lists.

#### **CANADIAN REGULATIONS:**

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as Not Controlled, as per the Controlled Product Regulations

### **EUROPEAN ECONOMIC COMMUNITY INFORMATION:**

**EU LABELING AND CLASSIFICATION:** 

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

October 2022 Page 5 of 6



# **SLICK-STIK**

#### **AUSTRALIAN INFORMATION FOR PRODUCT:**

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS. STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

#### **JAPANESE INFORMATION FOR PRODUCT:**

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:

Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

## **INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:

Australian Inventory of Chemical Substances (AICS):

Listed or Exempt
Korean Existing Chemicals List (ECL):

Listed or Exempt
Japanese Existing National Inventory of Chemical Substances (ENCS):

Listed or Exempt
Philippines Inventory if Chemicals and Chemical Substances (PICCS):

Listed or Exempt
Swiss Giftliste List of Toxic Substances:

Listed or Exempt
U.S. TSCA:

Listed or Exempt

#### **SECTION 16 - OTHER INFORMATION**

PREPARED BY: Paul Eighrett MSDS Authoring Services

Disclaimer: The information and recommendations in this document are accurate to the best of our knowledge. User must conduct their own tests to determine the suitability of these products for their particular purposes. Because of numerous factors affecting results, Hougen Manufacturing, Inc. MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, other than the material conforms to our applicable current specifications. Hougen Manufacturing, Inc. assumes no legal responsibility for use or reliance on the information contained in this Material Safety Data Sheet.

October 2022 Page 6 of 6